

VENTED INSERT FIREPLACES



 Monessen

# WARM WELCOME

Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy their warmth and beauty.



IDV380C shown with optional black beveled surround



IDV490C shown with optional 42/29 flat surround

## VENTED INSERT FIREPLACES

Adding the warmth and ambiance of fire to your home without the hassle of making a wood fire in your existing woodburning fireplace is easy with a beautiful vented insert fireplace from Monessen. Installed into an existing opening and vented using a liner in your existing chimney, a vented insert is a simple fireplace solution.

Available in two sizes, the IDV380C and IDV490C both feature standard black filigree trim and Cottage Clay firebrick to create an upscale, custom look. With large viewing areas from 382 to 492 square inches, BTUs ranging from 20,500 to 40,000 and a variety of optional accessories, our vented inserts from Monessen are the perfect fit for your home.



IDV380C shown with optional Brushed Pewter door frame

### STANDARD FEATURES FOR ALL UNITS:

- Seven piece ceramic fiber logs featuring a patented Natural Flame burner with random dancing flames and large ember bed
- Millivolt with on/off switch and variable flame height control in natural gas or propane gas
- Natural or propane field convertible
- Flexible connector with On/Off shut off valve included
- Consumer friendly deluxe control panel with on/off switch
- Thermostat controlled blower
- Cottage Clay firebrick

### IDV380C:

- BTU input of 30,000 for NG and 28,000 LP
- 382 square inches of glass viewing area
- Removable unitized black louver assembly for ease of installation
- 3" intake with 3" exhaust vent pipe connectors for chimney flex liners
- Optional firebrick and faces available

### IDV490C:

- BTU input of 40,000 for NG and 37,500 LP
- 492 square inches of glass viewing area
- Removable unitized black louver assembly for ease of installation
- 3" intake and 4" exhaust vent pipe connectors for chimney flex liners
- Optional firebrick and faces available

### OPTIONAL DECORATIVE TRIM:



Gold filigree panel, door frame and fire screen doors



Brushed Pewter filigree panel, door frame and fire screen doors

Trim available individually or combined to give you flexible decorative options

## Specifications

Model	IDV380C	IDV490C
BTU	20,500 - 30,500 (NG) 22,000 - 28,000 (LP)	26,500 - 40,000 (NG) 29,000 - 37,500 (LP)
FE Ratings (Cdn. Fireplace Efficiency)	69.6% NG / 66.2% LP	69.8% NG / 67.2% LP
Dimensions (Actual)	30 3/16" W x 22 3/4" H x 16 5/16" D	33 11/16" W x 24 3/4" H x 18 5/16" D
Opening Dimensions	28" W x 21" H	31" W x 23" H
Viewing Area	382 sq.in.	492 sq.in.
Design Certified	CSA	CSA

## Optional Accessories



42/29 or 46/32 black  
flat surround

42/29 or 46/32 black  
beveled surround



Cabinet doors, door frames and filigree panels

Multi-functional Ambient Technologies® remote controls available for all units

Thermostat ON/OFF  
remote control with  
3-step flame height  
adjustment and  
3-speed blower control  
with receiver



Touch Light™ table top/wall mount  
TLM on/off and TLT thermostat  
remote control with receiver



Programmable wireless wall  
thermostat with receiver

See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



# Monessen

A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361

[www.monessenhearth.com](http://www.monessenhearth.com)

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.